

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/694,537	10/25/2003	Douglas Mac Tackett	SB-002-CAN	3658
7:	590 12/29/2005		EXAMINER	
JOSEPH D. KING 10 WEST VIEW ROAD			CARTAGENA, MELVIN A	
BROOKLINE, NH 03033			ART UNIT	PAPER NUMBER
•			3754	

DATE MAILED: 12/29/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/694,537	TACKETT, DOUGLAS MAC			
Office Action Summary	Examiner	Art Unit			
	Melvin A. Cartagena	3754			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on 11 O 2a) This action is FINAL. 2b) This 3) Since this application is in condition for allowal closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ⊠ Claim(s) 1,2,4-12 and 14-20 is/are pending in 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed.  6) ⊠ Claim(s) 1,2,4-12 and 14-20 is/are rejected.  7) □ Claim(s) is/are objected to.  8) □ Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examiner.  10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.					
	,				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	6)  Other:				
PTOL-326 (Rev. 7-05) Office A	Citon Summary Fo	at or i apor ito.midii Date 12172000			

Art Unit: 3754

#### **DETAILED ACTION**

#### Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, 2, 4, 11 and 20 are rejected under 35 U.S.C. 102(b) as being anticipated by US 5,996,857 to Markos.

Markos shows a container 10 for dispensing fluids as seen in Fig. 1, made of two pieces 12 and 38, the container having a channel 34 formed into a surface following the contour of the container and positioned proximate to a threaded neck member 40, an orifice 25 for dispensing liquids, a gate valve 42 slideable positioned into the channel and angled at the ends with respect to the remaining portion of the gate valve and a gate retaining means 27.

3. Claim 14 is rejected under 35 U.S.C. 102(b) as being anticipated by US 3,792,803 to Kessler.

Kessler shows a self-reclosing coupling valve as, seen in Figs. 1-4, reversible attacheable to a container 2, see column 1, lines 36-41, a channel 15 formed in the coupling, a self closing gate valve member 10, retaining tabs 14 on opposite sides of the gate valve positioned entirely in the channel 15 and biasing arms 12.

Art Unit: 3754

## Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 5-10, 12 and 14-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 5,996,857 to Markos in view of US 3,792,803 to Kessler.

Markos shows all claimed limitations as discussed above except for a biasing mean for the gate valve. Kessler shows a self-reclosing coupling valve as, seen in Figs. 1-4, reversible attacheable to a container 2, see column 1, lines 36-41, a channel 15 formed in the coupling, a self closing gate valve member 10, retaining tabs 14 on opposite sides of the gate valve positioned entirely in the channel 15 and biasing arms 12. The gate valve 10 is maintained in a close position by biasing elements 12 until an operator intentionally actuates the flat valve to an open position, see column 1, line 67 and 68 and column 2, line 1-7.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to modify the device of Markos to include a biasing member to maintain the valve closed as taught by Kessler to eliminate the need for the operator to manually closed the valve after dispensing form the container and simplify operation of the valve.

## Response to Arguments

6. Applicant's arguments with respect to claims 1, 2, 3-12 and 14-20 have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 3754

#### Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Fowler shows a compressible tube closure.

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin A. Cartagena whose telephone number is (571) 272-4924. The examiner can normally be reached on M-F (7:30AM to 4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Y. Mar can be reached on (571) 272-4906. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3754

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MAC 12/14/05

MICHAEL MAR SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700

Michael Man